3763

NOV 2 9 2001

TECHNOLOGY CENTER 53700

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Ian David DALTON et al.

Serial No. 09/899,924

GROUP 3763

Filed July 9, 2001

DISPOSABLE COVER FOR A LIFTING SLING

RECEIVED

CLAIM FOR FOREIGN PRIORITY UNDER 35 U.S.C. 7192

Commissioner of Patents

Washington, D.C. 20231

Sir:

Attached hereto are certified copies of applicants' corresponding patent applications filed in the United Kingdom on July 8, 2000, under No. 0016754.4 and on July 19, 2000, under No. 0017583.6.

Applicants herewith claim the benefit of the priority filing dates of the above-identified applications for the above-entitled U.S. application under the provisions of 35 U.S.C. 119.

Respectfully submitted,

YOUNG & THOMPSON

Ву

Benoît Castel

Attorney for Applicants Registration No. 35,041 745 South 23rd Street

Arlington, VA 22202


Telephone: 703/521-2297

November 1, 2001

THIS PAGE BLANK (USPTO)







NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely success accompany to certain additional company law rules.

RECEIV

NOV 2 9 25 34

TECHNOLOGY CENTER R3700

Signed

ساسمان

Dated

10L 2001

CERTIFIED COPY OF PRIORITY DOCUMENT

THIS PAGE BLANK (USPTO)

Ð	atents Form 1/77.		TENTS . DEST			,eth	550° am	************	
	atches form 1///	•	Patent 1	•					
P.	Act 1977	THE PATENT OFFIC	Office 4	'KKS			J.	3	
Œ	は 恋の	F	AT. TRADE	•			Î	a de la companya de l	g g g
		0.0 114 2000						•	
10		0 3 JUL 2000	1		2 2 2 1		~		
	lequest for grant of		1	£, ·	<i>≨ 84</i> .		1	he Pater	at Office
	ee the notes on the back of this li planatory leaflet from the Patent						c	ardiff Ro	xad
	is form)			A. Hu:	/. .	a ·		ewport	
72			电影 电电	T Tours	Harma a fr			outh W 2 P10 8Q0	2 71 12 6
1.	Your reference		ib circumsta	r Fight		i de di di di	1.4.5	· · · · · · · · · · · · · · · · · · ·	THE MARKET
				1000	98GB 10JUL	M FSS12	(S_1, DA2)	107	
2	Patent application numb	The Walter of the Paris of		7-14-15-16-16-16-16-16-16-16-16-16-16-16-16-16-	DA1/7	0.00 0.00	0016754.	4 25 61 4	r or grand Matrolas
	(The Patent Office will fill in		.00	1675	54.4		建工工作	M.Q.F.3	PTS.
· · · · ·			.f			1, 5, 18	54X3	i i	
3.	Full name, address and peach applicant (underline	ostcode of the or of		€	enot-mi-cire				
.! !	cacii applicant (unaenine	all surnames)	• .	Arjo Lim	ited rine Stre	n sacar	ulkur (F) i		
				St Cathe	er E	Σ	4 1 1		
				GL1 2SL	er manns	ANG YOUN	india.		1
Seriff S Name to	Patents ADP number (4)	ou know it)		CIA	22900				
	If the applicant is a corp	orate body, give the		O Lot	308800	dsvoid	新黎克斯		
. 1:	country/state of its incom		*	United K	ingdom	7265包基础	ile,		
4.	Title of the invention		·			· · · · · · · · · · · · · · · · · · ·			
				•	ura da inisiar.	The set will	. क्रिक्ट्रिश्यां.		-
				•	am (specific) amo		,		
		• •		A DISPOS	ABLE COVER	FOR A	LIFT	ING SL	ING
5.	Name of your agent (if yo	u bave one)		N. 20 45 A		 -		·	
7	"Address for service" in t	19. William Land Commission	and the second s	A R Davi	es & Co				
	to which all corresponde	nce should be sent			ial Square	•			
	(including the postcode)			Cheltenha GL50 lRQ	am				
			,	GP20 IKO					
				, -	2.2	. :	•		
									•
. **	Patents ADP number (if y	ou know (t)		570001 🍃	/ :				
6	If you are declaring prior	ity form one and						•	
٥.	earlier patent application	s, give the country	Cou	ntry Pr	iority application			te of filing	
	and the date of filing of the	he or of each of these			(if you knou			montb/)	year)
	earlier applications and (each application number	f you know ii) the or							
	each application number			•					
7.	If this application is divid	ed or otherwise	Number of earl	ier application			Dat	c of filing	,
	derived from an earlier U	K application,						nontb/y	
	give the number and the the earlier application	filing date of				**			٠.
8.	The state of the cutor	ship and of right							:
	to grant of a patent require this request? (Answer Yes')	rea in support of		Zoa.					-
	a) any applicant named in po		3	<i>l</i> es			· . :	÷	•
	b) there is an inventor who is	not named as an			:	j	. to the	•.	. •
	applicant, or		•						
	c) any named applicant is a c See note (d))	corporate body.	•		•		·:	., .;	
					,	3	••		
	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1						Patent	. Eas	100

Patents Form 1/77

 Enter the number of sheets for any of the following items you are filing with this form.
 Do not count copies of the same document

Continuation sheets of this form	:	approximately the		
காற் செருவர்கள் Description		Tagywy		CANCELLAND
is A Line. Request			on BO issue do to mor	7 7 7
poberfut Abstract		2		
Drawings)		12+21		
10. If you are also filing any of the following, state how many against each item.			and the second	
Priority documents	icas in metación estratorios.		outpolicizate	
Translations of priority documents			to an alpha and the art of the ar	
Statement of inventorship and right to grant of a patent (Patents Form 7/77)			mi + A to distinct	
。				
Request for preliminary examination and search (Patents Porm 9/77)			प्रकार के प्रकार के दिन के न	
Request for substantive examination	The same of the same of the same	omenanysty at minimum or bit meeting of	THE RESERVE	ringsta i
(Patents Form 10/77)				
Any other documents (please specify)	ericana pima ara-	سنت مخترد وفيعها المدالية والمتا	entra communication and the second	
	• • • • • • • • • • • • • • • • • • • •		भाष्ट्र चार्न्य स्थानेत्र स्थानेत्र ह	
e 41. The second of the seco		st the grant of a pate	ent on the basis of	this application.
	Signature	A.R. Dan	Date	254 × 3
	·	A R Davies	& Co 7th Ju	ly 2000

Warning

12. Name and daytime telephone number of

person to contact in the United Kingdom

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Mr M R Higgins

01242 524520

Notes

- a) If you need belp to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you bave answered Yes' Patents Form 7/77 will need to be filed.
- e) Once you bave filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

A DISPOSABLE COVER FOR A LIFTING SLING

This invention relates to a cover for a lifting sling and to a method of preventing cross-infection between patients lifted in body support slings particularly, but not exclusively, one-piece lifting slings. Such slings support the back and thighs of a patient, being suspended from a hoist by detachable suspension means, such as straps or the like.

Most known slings are formed from woven, synthetic textile material and are relatively expensive to make. The slings are used, *inter alia*, to support patients, e.g. to the toilet. Accidents do occur and cross-infection between patients has become a major issue. As a result, some hospitals have banned the use of slings.

10

15

20

Laundering does not always kill off the organisms which cause infections, particularly when laundering at temperatures which the slings will withstand. As a result, slings have been laundered and, more particularly, dried at temperatures greater than the slings will withstand in an attempt to kill off all infectious organisms and this has resulted in the destruction of slings.

According to a first aspect of the present invention, there is provided a disposable cover for a lifting sling comprising two sheets of non-woven impermeable material secured together along first edges to define therebetween a pocket for receiving a lifting sling.

Preferred and/or optional features of the first aspect of the invention are set out in claims 1 to 7, inclusive.

According to a second aspect of the invention, there is provided a method of preventing cross-infection between patients lifted in body support slings suspended from a lifting hoist, the method comprising the steps of:

- a. providing a disposable cover on the sling.
- b. lifting the patient in the sling, and
- c. disposing of the cover prior to lifting another patient with the sling.

Preferred and/or optional features of the second aspect of the invention are set out in claims 10 and 11.

It has been found that these disposable sling covers can be made at a fraction of the cost of slings of woven material. It is, therefore, possible to dedicate the covers to a single toileting procedure and to dispose of the covers thereafter.

The invention will now be more particularly described, by way of example,
with reference to the accompanying drawings in which:

Figures 1 and 2 are perspective views illustrating one embodiment of a sling cover according to the invention.

Referring to the drawings, the disposable sling cover 10 shown therein is formed of two sheets 11,12 of non-woven impermeable material, such as spun bond polyester. Each sheet 11,12 comprises a main portion 13 for receiving a main portion of a sling which portion in use supports the lower back of a patient and lower end of dependent leg portions 14 and 15 for receiving lower end dependent leg portions of a sling which portions in use, respectively, extend beneath and upwardly between the thighs of a patient.

The two sheets 11, 12 are secured together, such as by stitching, along outer side edges of the main portion 13, along the lowermost edge of the main portion 13 between the dependent leg portions 14 and 15 and along the outer and inner edges of the lower end dependent leg portions 14 and 15. The two sheets 11, 12 are not secured together along the uppermost edge of the main portion 13 so as to allow a sling to be inserted into the pocket between the two sheets and they are not secured together at the lowermost ends of the lower end dependent leg portions 14 and 15 so as to enable suspension tapes secured to the sling to pass therethrough. Tabs 16 are also secured between the two sheets 11, 12, such as by the previous stitching operation, for a purpose which will become apparent hereinafter.

20

10

15

Tear lines 17 are provided at or adjacent to each of the edges where the two sheets 11 and 12 are secured together. These tear lines can be provided by a regularly spaced weakening of the material of the two sheets 11, 12, such as may be achieved by an ultrasonic heating technique. These tear lines 17 enable the two sheets 11, 12 to be separated by gripping the tabs 16 and tearing the cover along the

tear lines 17.

Straps 18 are secured to the sheet 11 adjacent to the uppermost edge of the main portion 13 and are connectible to pop fasteners 19 adjacent to the uppermost edge of the main portion 13 of sheet 12 to releasably fasten the cover to a sling.

In use, prior to lifting a patient in a lifting sling, a cover 10 as described above is provided on the sling. The cover 10 is disposed of prior to lifting another patient with the sling. In particular, the cover 10 is most useful when toileting a patient and the cover can be disposed of after each toileting procedure. Indeed, after a toileting procedure, the lower sheet of the cover can be separated from the upper sheet by tearing along the tear lines 17 and the lower sheet can be disposed of instantly. The upper sheet can then be disposed of after the patient has been lowered and removed from the sling.

15

20

10

Sling covers as described above can be made at a fraction of the cost of woven slings.

Ideally, it should not be possible to launder the sling covers. This will avoid re-use. To this end, it is envisaged that the edges may be secured together by a soluble thread so that the slings will fall apart if laundering is attempted.

The invention is not limited to covers for one-piece lifting slings, but may also be applied to other lifting slings. Also, tear lines may be provided at or adjacent



to just some of the secured edges. This will facilitate removal of the cover from the sling, although not allow the two sheets to be separated from one another.

CLAIMS

- 1. A disposable cover for a lifting sling comprising two sheets of non-woven impermeable material secured together along first edges to define therebetween a pocket for receiving a lifting sling.
- 2. A disposable cover as claimed in claim 1, wherein a tear line is provided at or adjacent to at least one of said first edges to facilitate removal of the cover from the sling.

10

20

- 3. A disposable cover as claimed in claim 2, wherein tear lines are provided at or adjacent to all of said first edges so that the two sheets of material can be separated from one another.
- 4. A disposable cover as claimed in claim 2 or claim 3, wherein one or more tabs is/are secured to said at least one first edge, the tab or tabs being manually grippable to enable the cover to be torn along the tear line or lines.
 - 5. A disposable cover as claimed in any one of the preceding claims, wherein the cover is shaped to receive a one piece body support sling which will support the back and thighs of a patient.
 - 6. A disposable cover as claimed in claim 5, wherein the cover includes a main portion for receiving a main portion of a sling which portion in use supports the



back of a patient and lower end dependent leg portions for receiving lower end dependent leg portions of a sling which portions in use respectively extend beneath and upwardly between the thighs of a patient.


- 7. A disposable cover as claimed in any one of the preceding claims, wherein releasable fastening means are provided along at least one second edge of the cover for fastening the cover to a sling.
- 8. A disposable cover substantially as hereinbefore described with reference to the accompanying drawings.
 - 9. A method of preventing cross-infection between patients lifted in body support slings suspended from a lifting hoist, the method comprising the steps of:
- a. providing a disposable cover on the sling.
 - b. lifting the patient in the sling, and
 - c. disposing of the cover prior to lifting another patient with the sling.
- 10. A method as claimed in claim 9, wherein step (b) comprises toileting the patient and wherein the cover is disposed of after each toileting procedure.
 - 11. A method as claimed in claim 9 or claim 10, using a sling cover as claimed in any one of claims 1 to 8.


ABSTRACT

A DISPOSABLE COVER FOR A LIFTING SLING

The disposable cover comprises two sheets 11,12 of non-woven simpermeable material secured together along first edges to define therebetween a pocket for receiving a lifting sling. Preferably, a tear line 17 is provided at or adjacent to at least one of said first edges to facilitate removal of the cover from the sling.

(Refer to Figure 1)





This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)